

Portable Oxy-fuel Cutting Machine

Features and Benefits

■ Multiple use oxy-fuel machine

Performs high quality straight, circle and bevel cuts. Single model includes 1 torch and 3 cutting nozzles.

■ Single Cone Stepless Drive System

Maintains constant travel speed even with high temperatures providing stable, trouble-free cutting.

Lightweight aluminium body

At only 9.5 kg, easy to carry and use. Built robust to be a true workhorse. $\,$

Simple operation

All functions are controlled by forward / off / reverse switch, clutch lever and speed adjustment knob.


■ Extendable 1800 mm straight rail

Cut longer parts.

High quality cuts with simple operation

Single Cone Stepless Drive System

Single Cone Stepless Mechanical Drive System equipped on the IK-12 Beetle guarantees a constant and stable movement of the machine, providing sharp, clean cuts. The travel functions (forwards, backwards, stop) are activated only by one operation element. The clutch control assures a trouble-free positioning of the machine. Bevel cutting is achieved by simply adjusting the torch holder at the bottom edge of the plate. A gear rack / bevel drive ensures a precise positioning of the machine torch (Y - and Z-axis).



The IK-12 Beetle is an affordable, portable, oxy-fuel cutting machine.

It is known around the world as one of the best portable cutting machines in the industry.

Optional accessories			
Accessory	Stock #	Description	
IK-12 Standard rail 1800 mm	30400	Extendable straight rail	
Circle cutting attachment (Beetle)	31858	Cutting diameter: Ø 50 - 2400 mm	
Transformer AC230V - 42V	222.002.207	For 42V models	
Transformer AC230V - 110V	90100	For 110V models	

Specification	IK-12 Beetle
Cutting thickness	5 – 50 mm
Cutting speed	150 - 800 mm/min
Bevel angle	0 - 45°
Drive system	Single Cone Stepless Drive System
Motor	Induction motor
Input power	AC 220V / 42V
Dimension	L350 x W175 x H140 mm
Weight	9.5 kg

Types	
Model	Stock #
IK-12 Beetle 220V	TBCA31005
IK-12 Beetle 42V	90022

Scope of delivery		
Machine body with torch set		
Cutting nozzles (102HC or 106HC, size #0, 1, 2)		
Power cable		
Standard tool set		
Operation manual		



EMEA Sales and Service Offices

FRANCE

KOIKE France S.A.R.L. ZAC de la Vallee de L'aunelle RN Cellules C1 à C4 59144 Wargnies-Le-Grand T: +33 327304343

GERMANY

KOIKE EUROPE B.V. Germany Branch Office Im Löchel 2 35423 Lich-Eberstadt T: +49 6004916930

ITALY

KOIKE ITALIA Srl Via Papa Giovanni XXIII, n 45 20053 - Rodano (Milano) T: +39 0295328717

UAE

KOIKE MIDDLE EAST FZE SAIF Zone Sharjah - UAE P.O. Box 122978 T: +971 561177615

THE NETHERLANDS

KOIKE EUROPE B.V. Grote Tocht 19 1507 CG Zaandam

T: +31 (0)75 612 72 27 F: +31 (0)75 612 34 61

info@koike-europe.com www.koike-europe.com